


002221" 5284460

Emulsion stored at -70, -18, 4 and 25°C  
 Percent Purity of hG17(9)-DT Conjugate from Emulsion Extracted Aqueous  
 Phase SEC with TSK-GEL® G3000SWXL Column,  
 0.5 m./min PBS, pH 7.2 mobile phase




◆ Aqueous Control — Stored at -70°C ▲ Stored at -18°C ★ Stored at 4°C ○ Stored at 25°C

FIG. 1

002227" 5284460

Emulsion stored at -70, -18, 4 and 25°C  
Percent Purity of hG17(9)-DT Conjugate from Emulsion Extracted Aqueous  
Phase SEC with TSK-GEL® G2000SWL Column,  
0.5 m./min PBS, pH 7.2 mobile phase




◇ Aqueous Control -▲- Stored at -18°C -▲- Stored at -18°C -▲- Stored at -18°C -○- Stored at 25°C

FIG. 2

APPROVED	O. J. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

002227 5284460

Release Rate from Emulsion Stored at 4°C:  
Percent Conjugate Released Over Time




△ Time 0 ▢ 1 month 4°C ◇ 3 months 4°C ⊖ 6 months 4°C \* 12 months 4°C

FIG. 3

002227" 5284460

Release Rate from Emulsion Stored at 25°C:  
Percent of Conjugate Released Over Time




△ Time 0 □ 1 month 25°C ◇ 3 months 25°C ○ 6 months 25°C \* 12 months 25°C

FIG. 4

APPROVED	O. C. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Release Rate from Emulsion Stored at -70°C:  
Percent of Conjugate Released Over Time




—△— Time 0 —□— 1 month —70°C —◇— 3 months —70°C —○— 6 months —70°C —\*— 12 months —70°C

FIG. 5

APPROVED	O. C. P. A.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

002227" 52844260

Release Rate from Emulsion Stored at -18°C:  
Percent of Conjugate Released Over Time



△ Time 0 -□- 1 month -18°C ◇- 3 months -18°C -○- 6 months -18°C \*- 12 months -18°C

FIG. 6

APPROVED	DATE	BY
CLASS	SUBCLASS	DRAFTSMAN

Emulsion Stored at 4°C  
Immunogenicity: Rabbit anti-hG17 IgG Antibody Titers by ELISA





FIG. 7

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

002221" 5284460

Emulsion Stored at 25°C  
Immunogenicity: Rabbit anti-hG17 IgG Antibody Titers by ELISA




△ Time 0 ◇ 3 months 25°C ○ 6 months 25°C \* 12 months 25°C

FIG. 8



002221" 5284460

Emulsion Stored at -70°C  
Immunogenicity: Rabbit anti-hG17 IgG Antibody Titers by ELISA




Δ Time 0    ◇ 3 months -70°C    ○ 6 months -70°C    \* 12 months -70°C

FIG. 9

APPROVED	O.C. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	

002221" 52347450

Emulsion Stored at -18°C  
Immunogenicity: Rabbit anti-hG17 IgG Antibody Titers by ELISA



Δ Time 0 ◊ 3 months -18°C ○ 6 months -18°C ★ 12 months -18°C

FIG. 10

APPROVED	O.C. File	
BY	CLASS	SUBCLASS
DRAFTSMAN		

002227 " 5284460





FIG. 11

APPROVED	O.G. FIG.
BY	CLASS: SUBCLASS
DRAFTSMAN	


002221" 5284460



Time 0 3 months 25°C 6 months 25°C 12 months 25°C

FIG. 12

002227" 52847460



Time 0 3 months 6 months 12 months -70°C

FIG. 13

002227-5282460




FIG. 14